



	cm	"	"	mm					SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ACTIVE®													
MT39	25	10	1/4	0.050	1,3	25AP	9	58E					100SDAA041
								60E	535044				
	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041	120SPEA041			120SDEA041
MT40	35	14						52E	140SPEA041	140SPEA041			140SDEA041
	25	10	1/4	0.050	1,3	25AP	9	58E					100SDAA041
	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041	120SXE041			120SDEA041▲
MT41	35	14						52E	140SPEA041	140SXE041			140SDEA041▲
	40	16						56E	160SPEA041	160SXE041			160SDEA041▲
MT51, MT56, MT62	40	16	.325	0.050	1,3	95VPX	7	66E					160MLBK041
	45	18		0.058	1,5	21BPX/LPX	7	66E	168SLGK095	168PXBK095	168RNBK095		
	45	18	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	64E	188SLHK095				
	45	18	3/8	0.058	1,5			68E			188RNDK095	188ATMK095	
	50	20						72E	208SLHK095		208RNDK095	208ATMK095	
AC620031, AC620033	20	8	1/4	0.050	1,3	25AP	9	48E					080SDAA218
AC620021	25	10	91	0.050	1,3	91P/91PX/91VXL	6	40E					100SDEA218
	30	12						45E					120SDEA218
AEG®													
KES35, KS30, KS35, KS40	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXE041			120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041			140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041			160SDEA041*
KES36	33	13	.325	0.063	1,6	22BPX/LPX	7	56E	133SLBD025				
	38	15						62E	153SLGD025	153SFGD025			
	40	16						67E	163SLGD025	163SFGD025	163RNB025	163ATMD025	
	45	18						74E	183SLGD025	183SFGD025	183RNB025	183ATMD025	
	50	20						81E	203SLGD025			203ATMD025	
	33	13	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	52E					
	38	15						56E	153SLHD025	153SFHD025	153RND025		
	40	16						60E	163SLHD025	163SFHD025	163RND025	163ATMD025	
	45	18						66E	183SLHD025	183SFHD025	183RND025	183ATMD025	
	50	20						72E	203SLHD025	203SFHD025	203RND025	203ATMD025	
ALKO													
E1200, 1400E, 1500E, 2000, 2300, E125, 25A, KS, KSB, KE4000, KE3500 VARIO	30	12	91	0.050	1,3	91P/91PX/91VXL	7	45E	120SPEA041*	120SXE041			120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041			140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041			160SDEA041*
KB3500, KB4000, KB4500, BKS38-35	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E					120SDEA218*
	35	14						49E					140SDEA218*
	35	14						50E					
	40	16						55E					160SDEA218*
140	30	12	.325	0.050	1,3	20BPX/LPX	7	55E					
	35	14						61E					
240	35	14	.325	0.050	1,3	20BPX/LPX	7	57E					
KB5000	40	16	.325	0.050	1,3	20BPX/LPX	7	65E					

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonproducts.com

T* = INTENZ

A - 70



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ALKO ./..											
	40	16					66E	160SLGK095			
	45	18					72E	180SLGK095			
1074, P21, P26, P28	35	14	.325	0.058	1,5	21BPX/LPX	7	60E			
	40	16						69E			
3400	40	16	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	59E			
	40	16						60E	160SLHD176		
	45	18						64E	180SLHD176		
	45	18						66E			
	50	20						69E			
	50	20						70E	200SLHD176	200RND176	
251, 261, 460, 480	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E			
	45	18						64E	188SLHD176		
	50	20						72E		8873D	
FARMERSAW	45	18	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	66E			
170	38	15	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	56E			
	45	18						64E			
	50	20						70E			
KE 40	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E			
	35	14						50E			
	40	16						56E			
ALPINA®											
330, 380, Euro-35, Euro-40, 432, 438, Euro 45, P 34, PR350	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E			
	35	14						50E			
	40	16						56E			
	45	18						60E			
ELECTRIC, E120, E130, ES182, ES202, E150, KS1400B, KS 1500B, A-10E, A-14E, 352, 382	30	12	91	0.050	1,3	91P/91PX/91VXL	7	44E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
Elettra 160, Elettra 170, 270, 280, Energy 1.6, Energy 1.8, Sinergy 35, Sinergy 40	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E	120SPEA074	120SXEA074	120SDEA074*▲
	35	14						50E	140SPEA074*	140SXEA074	140SDEA074*▲
	40	16						55E	160SPEA074*	160SXEA074	160SDEA074*▲
	40	16						56E			
P360, P370, P390, P391Q, P361	30	12	91	0.050	1,3	91P/91PX/91VXL	7	44E			
	35	14						50E	140SPEA074*	140SXEA074	140SDEA074*▲
	40	16						56E	160SPEA074*	160SXEA074	160SDEA074*▲
P370, P410, 402, 422, 442	33	13	95	0.050	1,3	95VPX	7	56E			
	40	16						64E			
P470, 480, 462, 472, 482	40	16	95	0.050	1,3	95VPX	7	66E			160MLBK095
	45	18		0.050	1,3			72E			180MLBK095
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600	30	12	.325	0.050	1,3	20BPX/LPX	7	55E			
	35	14						61E			
	40	16						65E			
	45	18						72E	180SLGK095	180RNBK095	

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ALPINA® ./..										
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600, P522	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095
	35	14						61E		
	40	16						66E	168SLBK095	
	45	18						72E	188SLBK095	188RNBK095
	50	20						78E	208SLBK095	
	30	12	.325	0.050	1,3	20BPX/LPX	7	55E		
	35	14						61E		
	40	16						65E		
	45	18						72E	180SLGK095	
PROF-41, PROF-45, P500, A40, A40E, PROF41, PROF45, P400, P450, P500, P460, P510, PRO540, PRO600	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095
	35	14						61E		
	40	16						66E	168SLBK095	
	45	18						72E	188SLBK095	188RNBK095
	50	20						78E		
PRO55, PRO56, PROF-65, PROF-66, 600, 600i, P650	40	16	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	59E		
	45	18						68E		180RNDK095
	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	59E		
	45	18						64E		
	45	18						68E	39450	188RNDK095
	50	20						72E	208SLHK095	208RNDK095
										208ATMK095
PROF-700, PROF-800, P.700, P750, P.800, P660, P680	45	18	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	68E	188SLHD009	188SFHD009
	50	20						72E	208SLHD009	208SFHD009
										188RND009
										188ATMD009
0-70, 0-70 TENDIMATIC, 0-70 SPECIAL, PROF-70	55	22	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	75E		223ATMD009
	60	24						84E		243ATMD009
	60	24	.404	0.063	1,6	59L/59AC/27X/27PX		76E		243ATMD009
0-90, PROF-90, PROF-120	38	15	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	55E		
	45	18						65E		183RND029
	50	20						69E		
Alligator LP 1000	53	21	.404	0.063	1,6	59L/59AC/27X/27PX	7	71E		
	63	25						82E		
	75	30						94E		
	92	36						107E		
BLACK&DECKER®										
Alligator LP 1000	15	6	1/4	0.050	1,3	25AP	9	40E		
	25	10					9	42E		
PP2018, CSC818, LH1600, GK1817	20	8	90	0.042	1,1	90SG	5	34E		
	40	16	91	0.05	1,3	91P/91PX/91VXL	6	56E		
CS30, CS35, DN400, DN401, DN402, DN404, DN412, DN416, GK425, GK330, GK310, GK1935, GK320, GK321, GK322, GK35, GK330, GK430, GK435, GK440, GK535, GK540, GK1440,	25	10	91	0.050	1,3	91P/91PX/91VXL	6	39E		100SDEA218
	30	12						44E		120SDEA218*
	35	14						49E		140SDEA218*
	40	16						56E		160SDEA218*

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 72



	cm	"	"	mm	SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
BLACK&DECKER® ./..									
GK1630, GK1635, GK1640, GK1940									
DN301, DN302,	25	10	91	0.050	1,3	91P/91PX/91VXL	6	39E	
	30	12						45E	
BONUS									
KSB 35						91P/91VG/91VXL	6	49E	140SDEA318
KSE 2000S						91P/91VG/91VXL	6	55E	160SDEA318
BOSCH									
AKE30/17S, AKE35/17S, AKE30-18S,	30	12	90	0.042	1,1	90SG	7	45E	124MLEA041
AKE40S, AKE 40/17s, AKE35, AKE30S, AKE36S	35	14						52E	144MLEA041
AKE30-19S, 35-19S, 40-19S, AKE40-19S, 40-19PRO, AKE-35-18S	40	16						57E	164MLEA041
1586.7, 1586.8, AKE30B, AKE30LI	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*
AKE35B, AKE40B, GKE35BC,	35	14						52E	140SPEA041*
GKE40BC, PKE25, PKE30B,	40	16						57E	160SPEA041*
PKE35B, PKE40, AKE35-19PRO, 40-19PRO									160SXEA041
BULLCRAFT									
BES1300B, KS400S,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E	120SDEA218*
KS40S, KSE1300B,	35	14						49E	140SDEA218*
KSE30,	40	16						55E	160SDEA218*
KS450	40	16	.325	0.050	1,3	20BPX/LPX	7	65E	
	40	16						66E	160SLGK095
	45	18						72E	180SLGK095
CAMPAGNOLA									
Laser, M/3, Puma	25	8	1/4	0.050	1,3	25AP	9	48E	080SDAA108
	25	8	91	0.050	1,3	91P/91PX/91VXL	6	40E	34099
CASTEL									
CS35P,	30	12	91	0.050	1,3	91VGX/91VX	6	44E	
	35	14						50E	
CS16E, CS17E	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E	
	35	14						50E	
	40	16						55E	
CS36, CS39	30	12	91	0.050	1,3	91P/91PX/91VXL	7	44E	
	35	14						50E	
	40	16						56E	
CS45, CS50	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095
	35	14						61E	138PXBK095
	40	16						66E	168SLBK095
	45	18						72E	188SLBK095
	50	20						78E	188RNBK095
CS60	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	59E	
	45	18						64E	
	45	18						68E	39450
	50	20						72E	208SLHK095
									188RNDK095
									208RNDK095
									208ATMK095

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 73

T* = INTENZ



www.oregonproducts.com





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
CASTOR®										
TR350,	30	12	90	0.043	1,1	90SG	6	44E		
330, CX 35, 380, CX40,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E		
423, 438, CX 45, P34,	35	14						50E		
P-34S, CP-34S, TR350	40	16						56E		
ELETTRA 160, ELETTRA170,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E		
High-Tech 1.6, High-Tech 1.8, ES180,	35	14						50E		
Hi-TEC 2, 0Q	40	16						55E		
	40	16						56E		
CP360, CP370, CP380, CP361, CP391	30	12	91	0.050	1,3	91P/91PX/91VXL	7	44E		
	35	14						50E		
	40	16						56E		
	45	18						60E		
CP370	33	13	95	0.050	1,3	95VPX	7	56E		
	40	16						64E		
	30	12	91	0.050	1,3	91P/91PX/91VXL	7	44E		
	35	14						50E		
	40	16						56E		
	45	18						60E		
CP410	33	13	95	0.050	1,3	95VPX	7	56E		
	40	16						64E		
C40, C40E, CP41, CP45	30	12	.325	0.050	1,3	20BPX/LPX	7	55E		
	35	14						61E		
	40	16						65E		
	45	18						72E	180SLGK095	
	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095
	35	14						61E		
	40	16						66E	168SLBK095	
	45	18						72E	188SLBK095	188RNBK095
	50	20						78E		
CP400, CP450, CP500, CP460,	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095
CP510, CP540, CP540i, CP550	35	14						61E		
	40	16						66E	168SLBK095	
	45	18						72E	188SLBK095	188RNBK095
	50	20						78E		
CP-55, CP-56,	30	40	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	59E		
CP-65, CP-66,	35	19						68E		180RNDK095
CP600, CP600i, CP650	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	59E		
	45	18						64E		
	45	18						68E	39450	188RNDK095
	50	20						68E		188ATMK095
	50	20						72E	208SLHK095	208RNDK095
										208ATMK095
CP-700, CP-800, CP750	45	18	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	68E	188SLHD009	188SFHD009
	50	20						72E	208SLHD009	208SFHD009
									188RNDK095	188ATMD009
									208RNDK095	208ATMD009

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 74



	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
CASTOR® J..										
	55	22	3/8	0.063	1,6	75LPX/LGX/DX/DPX	75E			223ATMD009
	60	24					84E			243ATMD009
	60	24	.404	0.063	1,6	59L/59AC/27X/27PX	76E			243ATMD009
C-70, C-70 TENDIMATIC, C-70 SPECIAL, CP-700	38	15	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	55E		
	45	18						65E	183RND029	
	50	20						69E		
C-90, CP-90, CP-120	53	21	.404	0.063	1,6	59L/59AC/27X/27PX	7	71E		
	63	25						82E		
	75	30						94E		
	92	36						107E		
COMET										
CKS 2000						91P/91VG/91VXL	6	57E		160SDEA041
KSC 2000						91P/91VG/91VXL	6	55E		160SDEA318
CRAFTSMAN®										
36, 38, 1636, 1842	40	16	91	0.050	1,3	91P/91PX/91VXL	6	56E		160SDET041 ▲
	45	18						62E		
46, 205	50	20	.325	0.050	1,3	20BPX/LPX	7	78E		
DANARM										
1-36MARKII,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E		
CUB CADET®										
CS3916	35	14	91	0.050	1,3	91P/91PX/91VXL	6	52E	140SPEA041	140SDEA041 ▲
	40	16						57E	160SPEA041	160SDEA041
	45	18						62E	160SPEA041	180SDEA041
CC1936, CC2740	35	14	91	0.050	1,3	91P/91PX/91VXL	6	52E	140SPEA095	140SDEA095 ▲
	40	16						56E	160SPEA095	160SDEA095 ▲
CC3045, CC3352, CC3651, CC4051, CS5018, CS5220	38	15	.325	0.058	1,5	21BPX/LPX	7	64E	158SLGK095	
	45	18						72E	188SLGK095	188RNBK095
CC4256, CS5720	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHK095	168RNDK095
	45	18						68E	188SLHK095	188RNDK095
	50	20						72E		208RNDK095
DDE										
DDE CS 4116 4118						95VPX	7	66	160MPBK041	160MLBK041
						20BPX / LPX	7	66	160SLGK041	
						95VPX	7	72	180MPBK041	180MLBK041
						20BPX / LPX	7	72	180SLGK041	180RNBK041
DOLMAR®										
AS-1212, PS221, PS-34, PS-3, PS221, PS222	12	5	1/4	0.050	1,3	25AP	6	42E		
	25	10		0.050	1,3	25AP		60E		
ES-31, ES-36, ES40, ES32, ES37, ES4, ES5, PS221, PS222, ES41, ES32	30	12	90	0.043	1,1	90SG	6	45E		124MLEA041
ES-38A	35	14						52E		144MLEA041*
ES-42A	40	16						56E		
ES-152A, ES-162A, ES172A, PS32C, PS35C	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SDEA041* ▲

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 75

T* = INTENZ

www.oregonproducts.com





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
DOLMAR® ./..											
PS-34, PS35C, PS3410, PS350, PS350C	30	12					46E				
PS-3300TH, PS-330, PS-340, PS34, PS45, PS3410, PS420C	35	14					52E	140SPEA041*	140SXEA041		140SDEA041*▲
PS41, PS-341, PS-344, PS-400, ES41,	40	16					56E				
PS390, ES40, ES6, PS-401, PS-33,	40	16					57E	160SPEA041*	160SXEA041		160SDEA041*
100, 102, 103, 105, 108, ES37, CS2040,											
101, 104, 106, ES152, ES2035, ES162,											
ES172, ES151, ES140, 275, ES30,											
ES3, ES160, 285, ES161, ES2040,											
ES2035, ES153, ES183, ES173, ES163											
PS-410, PS-411, PS420	33	13	95	0.050	1,5	95VPX	7	56E			130MLBK041
	38	15						64E			150MLBK041
	45	18						72E			180MLBK041
111, 115i, PS5000, PS4600, 110, 109, PS510, PS540, PS5100S, PS500, PS460	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
PS-4605	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLBK095		
	40	16						66E	168SLGK095	168PXBK095	
	40	16						68E	34372		
	45	18						72E	188SLBK095		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
109, PS-43, 112, 111, PS-52, 117, 115, PS5000, PS5105, PS4600	38	15	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	56E	158SLHK153		
	43	17						64E			178RNB083
	45	18						64E	188SLHK153		178ATMB083
	50	20						72E	208SLHK153		208RNB083
	53	21						72E			
112, 113, 114, 116, ES-1800	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLBK095		
	40	16						66E	168SLGK095	168PXBK095	
	40	16						68E	34372		
	45	18						72E	188SLBK095		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 76



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
DOLMAR® ./..												
117, 119, 120, 219,	38	15	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	56E	158SLHK153			
PS-6000i, PS6000iH,	43	17						64E		178RNB083	178ATMB083	
PS6800i, PS6800iH,	45	18						64E	188SLHK153			
120SI, 1231	50	20						72E	208SLHK153	208RNB083		
	53	21						72E				
122, 123, 133, 143,	43	17	3/8	0.058	1,5	73LPX/LGX/DX/DPX	8	64E				
CA, KMS4,	50	20						72E		208RND033	208ATMD033	
PS9000, PS9010,	58	23						80E				
153, 152, 144, 186	74	29						96E				
PS-6400, PS-7300, PS-7310, PS-7900,	38	15	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	56E	158SLHD009	158SFH009		
PS-7910, PS9000, PS9010	38	16						60E	168SLHD009	168SFHD009		
	45	18						68E	188SLHD009	188SFHD009	188ATMD009	
	50	20						72E	208SLHD009	208SFHD009	208ATMD009	
	60	24						84E			248ATMD009	
	70	28						92E			288ATMD009	
144, 153, 166PD, CA	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	61E			173ATMD033	
CC, CT, DD217, 133	53	21						70E				
ECHO®												
CS-280E, CS-304VL, CS-351VL, CS-302,	25	10	1/4	0.050	1,3	25AP	9	56E				
CS-360WES, 341, 346, 3000, 3400, 3450,	30	12						66E				120SDAA041
CS-280EG, CS-280EVL	35	14						76E				140SDAA041
CS-285EVL, CS-290EVL, CS-27WES,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041		120SDEA041* ▲
CS-310ES, CS-352ES, CS-300EVL,	30	12						47E				
CS-280E, CS-301, CS-260T/TES, CS305,	35	14						52E	140SPEA041*	140SXEA041		140SDEA041* ▲
CS341, CS346, CS-320T/TES,	35	14						53E				
CS-350T/TES, CS360TES, CS-352ES,	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
CS-302, CS-315, ECS150, ECS1850FT,												
CS-320EVL, CS-328, CS-340, CS-345,												
CS351,												
CS-330EVL, CS-360EVL, CS370, E155,												
CS-2800, CS-2900, S2000, CS3000,												
CS3050,												
CCS3400, CS3450, CS4400, ECS150,												
ECS1850FT, S2600, CS3000, CS3400,												
C2700, CS3050, CS3500, CS350												
CS-3600, CS-3900, CS400, CS520	33	13	.325	0.050	1,3	20BPX/LPX	7	56E				
CS-4000, CS-4400, CS4500, CS5000	35	14						61E				
CS-4500, CS-400EVL,	38	15						64E				
CS-440EVL, CS-440EVLH,	40	16						66E	160SLGK041			
CS3700, CS4200, CS510, CS4100	45	18						72E	180SLGK041	180RNBK041		
CS-5000, CS-5500,	40	16	.325	0.058	1,5	21BPX/LPX	7	67E				
CS-5501, CS-6700,	45	18						72E	188SLGD176			
CS-3600, CS-360EVL, CS-3700ES,	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK041	138PXBK041		

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 77

T* = INTENZ



www.oregonproducts.com





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ECHO® ./..											
CS-4200, CS-420ES, CS-450, CS-680,											
CS-8002, CS-4000, CS-400EVL,	35	14					61E				
CS-4010, CS-440EVL,	38	15					64E	158SLBK041	158PXBK041		
CS-4500, CS-4510,	38	15					64E	158SLGK041			
CS-4600, CS-4610,	40	16					66E	168SLGK041	168PXBK041	168RNBK041	
CS-5000, 5100, CS-4400, CS-4200	45	18					72E	188SLGK041	188PXBK041		
CS-60S, CS-451VL,	33	13	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	52E			
CS-452VL, CS-500EVL,	38	15						56E			
CS-500VL, CS-510EVL,	40	16						59E			
CS-550EVL, CS-600EVL,	40	16						60E	160SLHD176		
CS-602VL, CS-610EVL, CS-706,	45	18						64E	180SLHD176		
CS-650EVL, CS-660EVL, CS-670, CS-701,	50	20						69E			
CS-702VL, CS750EVL, CS-501, CS-601,	50	20						70E	200SLHD176	200RND176	
CS-750VL, CS-5500, 6700, 8000	60	24						81E		240RND176	
CS-5501, CS-6700, 6702, 6800,	33	13	3/8	0.058	1,5	72LPX/LGX/DX/DPX	7	52E			
CS-6701, CS-8000,	38	15						56E			
CS-5000, CS-6700, CS-8000, 8001	40	16						59E			
	40	16						60E			
	45	18						64E	188SLHD176		
	50	20						70E	208SLHD176		
	50	20						72E		8873D	
	60	24						81E			
CS-900EVL, CS1001	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	62E			
	53	21						72E		213ATLE086	
	63	25						82E		253ATLE099	
	75	30						92E			
CS-1100VL, CS-1200, 1201	53	21	.404	0.063	1,6	59L/59AC/27X/27PX	7	72E		213ATLE086	
	63	25						84E		253ATLE099	
EFCO®											
PT2500,	25	10	90	.043	1,1	90SG	6	39E			104MLEA318
131, 132, 125, 3600, 4000, MT350, MT3500	25	10	91	0.050	1,3	91P/91PX/91VXL	6	40E			100SDEA041
	30	12						45E	120SPEA041*	120SXEA041	120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
	40	16						56E	160SPEA041*	160SXEA041	160SDEA041*▲
134, 135, 114E, 115, 116E, 117E, 136, 140, 140S, 119	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E			
	35	14						49E			
	40	16						56E			160SDEA129
138, 141	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	40	16						66E	160MPBK095	160MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
140S	33	13	95	0.050	1,3	95VPX	7	56E			130MLBK041

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 78



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
EFCO® ./..											
	40	16					7	66E			160MLBK041
142, 146, 151, 156, 162, 147, 152, 165	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
170, 180, 171, 181	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
	58	23						80E			
	63	25						88E			
	75	30						98E			
	40	16	.404	0.058	1,5	58L/26	7	55E			
	45	18						62E			188ATMD024
	50	20						66E			208ATMD024
	58	23						73E			
	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	60E		173RNFE031	173ATLE031
	53	21						68E		213RNFE031	213ATME031
199	63	25						80E			
	75	30						92E			
	90	36						108E			
	104	41						123E			
EINHELL											
EKS25, EKS35	25	10	91	0.050	1,3	91P/91PX/91VXL	7	41E			
	30	12						47E			
	35	14						54E			
	40	16						58E			
40A, 41, MKS30, MKS40AV	30	12	91	0.050	1,3	91P/91PX/91VXL	7	45E			
	35	14						52E			
	40	16						56E			
PES30, PES34, PES34, PES35, PES40, PROFI,	30	12	91	0.050	1,3	91P/91PX/91VXL	7	45E	120SPEA041*	120SXE041	120SDEA041* Δ
	35	14						52E	140SPEA041*	140SXE041	140SDEA041* Δ
	40	16						57E	160SPEA041*	160SXE041	160SDEA041*
KSE1640, KSE1435, EKS1650, PES 1640, PES 1540, KSE1435, KSE1635, KSE, KSE1640, KSE2000, PKS1635, PKS1840	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
PKS45/1AV, PKS50/1AV											

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
EINHELL ./..												
	40	16						68E	34372			
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						78E	208SLGK095		208RNBK095	
ESPER												
SS-300, SS-360	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXE041		120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041		160SDEA041*
FARMER												
MKS 350						91P/91VG/91VXL	6	49E				140SDEA318
MKS 360						91P/91VG/91VXL	6	53E				140SDEA041
FLEURELLE												
FEAS 6020T Hochentaster						91P/91VG/91VXL	6	33E				080SDEA041
FEKS 2040						91P/91VG/91VXL	6	57E				
FLORABEST												
FHE 550A1						91P/91VG/91VXL	6	40E				100SDEA041
FKS 2000 A1 /B1FKS, 2000 B1FKS, 2000/6FKS, 2200 B1FKS, 2000/7FKS, 2200/08FKS, 2200/10FKS, 2200/8FKS, 2200/9FKS, 2200 1FKS, 2200 A1						91P/91VG/91VXL	6	57E				160SDEA041
GO/ON												
EKS 1835/2						91P/91VG/91VXL	7	53E				140SDEA041
GRIZZLY®												
KS400i	40	16	90	0.043	1,1	90SG	6	55E				
HANDY												
30HF, 35HF, 41HF, E140F, F130, F140	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E				
	35	14						49E				
	40	16						56E				160SDEA129
40HF	28	11	.325	0.058	1,5	21BPX/LPX	7	52E				
	33	13						56E	138SLBK095	138PXBK095	138RNBK095	
	35	14						60E				
	38	15						64E	158SLGK095		158RNBK095	
	40	16						66E	168SLGK095	168PXBK095		
	40	16						68E	34372			
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
	50	20						78E	208SLGK095		208RNBK095	
ЭНЕРГОМАШ												
Энергомаш ПТ99374						91P /VX /VXL	6	52E	140SPEA041	140SXE041		140SDEA041▲
Энергомаш ПТ99376, Энергомаш ПТ99416, Энергомаш ПЦ99200								57E	160SPEA041	160SXE041		160SDEA041
								63E		180SXE041		180SDEA041
Энергомаш ПТ99456, Энергомаш ПТ99458, Энергомаш ПТ99466, Энергомаш ПТ99468, Энергомаш ПТ99502						21BPX / LPX	7	66	168SLGK095	168PXBK095	168RNBK095	
								72	188SLGK095	188PXBK095	188RNBK095	
								78	208SLGK095		208RNBK095	

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 80



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HITACHI												
CS280A, CS280B, CS30EH	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041		120SDEA041*▲
CS350A, CS350B, CS35B	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
HITACHI CS38EK, CS40EL, CS45EM, CS 33EA, CS33ET, CS 33EB						95VPX	7	64	150MPBK041	150MLBK041		
								66	160MPBK041	160MLBK041		
HOMELITE®												
20AV, 23AV, 27, 3300, 3350, 3550, 3800,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041		120SDEA041*▲
3335, 3850, 4500, 4550, PS33, RANGER,	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*▲
3314, 3316, 3300, CS40, TIMBERMAN,	40	16						56E	160SPEA041*	160SXEA041		160SDEA041*▲
UT10901, UT10926, UT10974												
192, 200, 240SL, 245SL,	20	8	91	0.050	1,3	91P/91PX/91VXL	6	37E				
SUPER2/2CC, 180Series, 190, 192,	25	10						42E				
SUPER2SL	30	12						48E	120GPEA061*			
ELELECTRIC, XL, XL-10,	30	12						49E				
XL2 CC, XL2SUPER, XLTI,	35	14						52E	140GPEA061*			
BANDIT LX30, EL14,	35	14						53E				
SABRE 31, 33, 205	40	16						59E				
30, 150, EZ, EZAUTO, 130	30	12	.325	0.050	1,3	20BPX/LPX	8	54E				
MINI, SUPEREZAUTO,	33	13						56E				
SUPERXLMINI, EZ250, 252,	35	14						61E				
VISUPERMINI, VI-123, VI-125,	40	16						67E				
XL-76, XL100SERIES, XL250, 415b,	45	18						72E	180SLGK095			
4550b, 3816, 4528, 4520, 4016	50	20						78E				
290, 300, 340 MINI SL, 150, CS-40	30	12	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	49E				
	35	14						54E				
	40	16						59E				
	45	18						64E				
	50	20						70E				
	60	24						81E				
250, 252, 290, 290C,	33	13	.325	0.050	1,3	20BPX/LPX	8	57E				
300, 340, 340C,	35	14						61E				
3850B, 415b, 4550b, HSC4040, 4545	38	15						65E				
	40	16						66E	160PXBK095			
	40	16						69E				
	45	18						73E	180SLGK095			
	33	13	.325	0.058	1,5	21BPX/LPX	7	57E	138SLBK095	138PXBK095	138RNBK095	
	35	14						61E				
	38	15						65E	158SLGK095		158RNBK095	
	38	15						65E	158SLBK095	158PXBK095	158RNBK095	
	40	16						67E	168SLGK095	168PXBK095	168RNBK095	
	40	16						69E	34372			
	45	18						73E	188SLGK095	188PXBK095	188RNBK095	
	50	20						78E	208SLGK095		208RNBK095	

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HOMELITE® ./..											
330, 350, 360AO, 360SL, 700, 800, 825,	40	16	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	60E			
460, 400, 540, 410, 450, 450SL, 550, 850,	50	20						70E	200GLHD196		
825, 900, 922, 923, 400, 700, 800, 550SL,	60	24						81E			
650, 750, 925, 955, SUPERXLAUTO, SXLA0,	67	27						93E			
SXL925, XL12, 8800	73	29						98E			
1000XP, 1020, 2100,	43	17	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	68E			
700DSERIES,	53	21						78E			
S1050AUTO	63	25						90E			
SUPER1050XP, WIZ,	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	62E			
XSERIES, XP SERIES,	53	21						71E			
XP2000, ZIP	63	25						82E			
360	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	62E			
	53	21						71E			
HUSQVARNA®											
325P4X, 325P4x, 323P4	25	10	91	0.050	1,3	91P/91PX/91VXL	6	40E			
250PS,	20	8	91	0.050	1,3	91P/91PX/91VXL	6	32E			
23, 36, 41, 136, 137, 141, 142,	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXE041		120SDEA041*▲
243, E16, E316, E317, E321	14						52E	140SPEA041*	140SXE041		140SDEA041*▲
	16						56E	160SPEA041*	160SXE041		160SDEA041*▲
	18						62E				180SDEA041*
33, 36, 41, 335XPT, 333, 334, 1600,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA095		120SDEA095*▲
338, 1400, 136, 141, 315, 316, 318,	35	14					52E	140SPEA095*			140SDEA095*▲
137, 142, 243, 320, 321, 338XPT,	40	16					56E	160SPEA095*			160SDEA095*▲
16, 316	45	18					60E				180SDEA095
HUSKY32, HUSKY38,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	47E			
	35	14						53E			
	40	16						58E			
133, 134, 234, 234, 238, 33, 36, 40,	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
41, 42, 44, 45, 49, 50, 51, 57, 55, E1400, E1600,	38	15						64E	150MPBK095	150MLBK095	
EL16, 242XP, 246, 254, 257, 254, 142,	45	18						72E	180MPBK095	180MLBK095	
339, 340, 345, 346, 350, 351,											
353, 357, 359, 360, 444, 455											
350, 351, 353, 355	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
133, 136, 137, 140, 141,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
142, 154, 234, 238,	33	13						56E	138SLBK095	138PXBK095	138RNBK095

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HUSQVARNA® ./..											
240, 242,	35	14					60E				
234,, 246, 254, 257, 261, 340, 345, 346,	38	15					64E	158SLGK095		158RNBK095	
350, 351, 357, 359, 360, 444, 450, 455,	38	15					64E	158SLBK095	158PXBK095	158RNBK095	
235,	40	16					66E	168SLGK095	168PXBK095	168RNBK095	
340, EL16,	40	16					68E	34372			
EL1400, EL1500, EL1600,	45	18					72E	188SLGK095	188PXBK095	188RNBK095	
460	50	20					78E	208SLGK095		208RNBK095	
154, 254, 257, 261, 262, 362, 357, 359, 560XP	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
455, 55, 555	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	50E	138SLDK095		
	33	13						52E			
	38	15						56E	158SLHK095		
	40	16						60E	168SLHK095		168RNDK095
	45	18						64E	188SLHK095		168ATMK095
	45	18						68E	39450		188RNDK095
	50	20						72E	208SLHK095		188ATMK095
	60	24						84E			208ATMK095
											248RNDK095
162, 61, 181, 185 2100, 2100, 266,	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	52E		138RND009	
160, 260, 268, 272, 272,	38	15						56E	158SLHD009	158SFH009	158RND009
281, 285, 288, 365, 380, 394, 395, 390,	40	16						60E	168SLHD009	168SFHD009	158ATMD009
371, 394, 298,	43	17						64E	178SLHD009		168RND009
380, 480, 65, 66, 77, 70,	45	18						68E	188SLHD009	188SFHD009	178ATMD009
372, 385, 395, 480, 562XP, 570, 575,	50	20						72E	208SLHD009	208SFHD009	188RND009
576XP, 575XP, 1100 2101,											188ATMD009
3120	55	22						76E			208RND009
	60	24						84E			228RND009
	65	26						89E			248RND009
	70	28						92E			268RND009
	75	30						102E			288RND009
	90	36	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	115E			308RND009
3120, 395	55	22	.404	0.063	1,6	59L/59AC/27X/27PX	7	68E			363RND009
	60	24						76E			363ATLD009
	90	36						104E			223ATMD009
	33	13	3/8	0.058	1,5	75LPX/LGX/DX/DPX	7	52E			243RNFD009
	33	13						52E			243ATMD009
	38	15						56E	158SLHD009	158SFH009	363RNFD009
											363ATLD009
											138RND009
											138RND009
											158RND009
											158ATMD009





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
HUSQVARNA® ./..											
	40	16					60E	168SLHD009	168SFHD009	168RNDD009	168ATMD009
	43	17					64E	178SLHD009		178RNDD009	178ATMD009
	45	18					68E	188SLHD009	188SFHD009	188RNDD009	188ATMD009
	50	20					72E	208SLHD009	208SFHD009	208RNDD009	208ATMD009
	55	22					76E			228RNDD009	
	60	24					84E			248RNDD009	248ATMD009
	65	26					89E			268RNDD009	
	70	28					92E			288RNDD009	288ATMD009
	75	30					102E			308RNDD009	
	90	36	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	115E		363RNDD009	363ATLD009
SAWMILL											
	40	16	95R	0.050	1,3		8	67E			
	50	20						81E			
IKRA											
KS 1400, KS 1500, KS 1600, EKS 1600, EKS1700, EKS1800, KS 2000, KS 1200, KS 1400	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041	120SDEA041* Δ
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041* Δ
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
	45	18						62E			180SDEA041
	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041	120SDEA041* Δ
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041* Δ
	40	16						56E	160SPEA041*	160SXEA041	160SDEA041* Δ
INKAR											
All Models	38	15	.325	.058	1,5	21BPX/LPX		64E	158SLBK095	158PXBK095	
IRCEM											
1700F,	40	16	.325	0.050	1,3	20BPX/LPX	8	64E			
12000F	45	18	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
JCBHYDROCHIEF											
All models	43	17	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	67E			173ATME031
	53	21						75E			213ATME031
	63	25						83E			253ATLE099
	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	60E		173RNFE031	173ATME031
	53	21						68E		213RNFE031	213ATME031
	63	25						80E			253ATLE099
JONSERED®											
BABYSAWM36, M361, 361, 365, 370	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E			
	35	14						50E			
	35	14						52E			
	40	16						57E			
2033 TH, 2137, 2138	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041	120SDEA041* Δ
	35	14						52E	140SPEA041*	140SXEA041	140SDEA041* Δ
	40	16						57E	160SPEA041*	160SXEA041	160SDEA041*
2118 EL, 2115EL, 2035, 2116, 2115, 2135, 2121, 2117, 2137,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA095		120SDEA095 Δ
	35	14						52E	140SPEA095*		140SDEA095* Δ

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 84



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
JONSERED® ./..											
2138, 2139, 2234, 2238	40	16					56E	160SPEA095*			160SDEA095*▲
	45	18					60E				180SDEA095
2012, 2014, 2036, 2040, 2041, 2045, 2014, 2015, 2012, 51, 370, 380, 410, 2149, 2050, 2063, 2051, 2054, 2055, 2150, 2145, 2141, 2152, 2153, 2255, 2156, 2163, 2159, 2149, 2240, 2245, 2250 420, 425, 435, 450, 451, 45, 451EVS, 452, 490, 455, 520, 525, 535, 590, EL14, EL1200, 45E, 49SP, 50, 52	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
2159, 2145, 2149, 2147	50	20						78E	208SLGK095		208RNBK095
	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
2063, 2163, 2159	45	18						72E	180MPBK095	180MLBK095	
	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	50E	138SLDK095		
	38	15						56E	158SLHK095		158RNDK095
	40	16						60E	168SLHK095		168RNDK095
	45	18						64E	188SLHK095		188RNDK095
	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
625, 630, 630SUPER, 670, 670CHAMP, 2077, 2083, 2094, 2095, 2095, 2065, 2071, 2171, 2165, 2186, 2188 820/830* 920/930* (*with 9mm stud)	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	52E		138RND009	
	38	15						56E	158SLHD009	158SFHD009	158RND009
	40	16						60E	168SLHD009	168SFHD009	168RND009
	43	17						64E	178SLHD009		178RND009
	45	18						68E	188SLHD009	188SFHD009	188RND009
	50	20						72E	208SLHD009	208SFHD009	208RND009
	55	22						76E			228RND009
	60	24						84E			248RND009
	65	26						89E			268RND009
	70	28						92E			288RND009
	75	30						102E			308RND009
	90	36	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	115E			363RND009
	53	21	.404	0.058	1,5	58L/26	7	68E			

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 85

T* = INTENZ



www.oregonproducts.com





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
JONSERED® ./..											
	55	22	.404	0.063	1,6	59L/59AC/27X/27PX	7	68E			223ATMD009
	60	24						76E			243ATMD009
	90	36						104E	363RNFD009	363ATLD009	
60, 62, 66, 70, 75, 77	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD024	168SFHD024	
80, 81, 90, 110, 111, 601, 621,	45	18						68E	188SLHD024	188SFHD024	188ATMD024
751, 801, 820, 830,	50	20						72E	208SLHD024	208SFHD024	208ATMD024
910E, 920, 930, 941	58	23						80E			
	63	25						88E			
	75	30						98E			
1020	40	15	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	56E			
	43	17						64E	178SLHD010		
	55	22						76E			
SAWMILL 2095+,	40	16	91R	0.050	1,3	91R	8	60E			
SAWMILL 600+	50	20						72E			
	40	16	95R	0.050	1,3	95R	8	67E			
	50	20						81E			
KRESS®											
DUO-SAGE	25	10	91	0.050	1,3	91P/91PX/91VXL	9	36E			
LANDONI											
771, 772	35	14	.325	0.050	1,3	20BPX/LPX	7	60E			
	40	16						64E			
	45	18						70E			
773, L20	40	16	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	58E			
	50	20						70E			
	60	24						80E			
LOGOSOL											
3000, 3052, 0036 with Stihl® 064, 066,	33	13	3/8R	0.063	1,6	75RD		52E			
MS660, MS361, MS064, E3000, E3500,	38	15						56E	153SLHD025	153SFHD025	153RNDD025
E3052	40	16						60E	163SLHD025	163SFHD025	163RNDD025
	45	18						66E	183SLHD025	183SFHD025	183RNDD025
	50	20						72E	203SLHD025	203SFHD025	203RNDD025
	60	24						84E			243RNDD025
	70	28						91E			243ATMD025
	75	30						98E			
	90	36						114E		363RNDD025	
3020 with Stihl® 084, 088, MS880	38	15	3/8R	0.063	1,6	75RD		58E			
MS084, MS088	43	17						66E			173ATLE031
	50	20						74E			
	53	21						75E			213ATLE031
	63	25						86E			
	63	25						88E			
MAKITA®											
5011B, 5012B, 5014B,	30	12	1/4	0.050	1,3	25AP	9	66E			120SDAA041

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonproducts.com

T* = INTENZ

A - 86



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MAKITA® ./..												
5014NB, 5016B, 5016NB	35	14						76E				140SDA041
AUC120DWAE	12	5	1/4	0.050	1,3	25AP	6	42E				
DCS 34, DCS330, 340, 341, 390, 400 401, 5012, 5014, 5016, 3500, UC3501, UC3020A, UC3520A, UC4020A	30	12		0.043	1,1		6	46E				
	35	14						52E				144MLEA041*
	40	16						56E				
DCS330S, DCS350, DCS3501, DCS390, UC3501, UC3520A, BUC250RDE, BUC122RFE, UC4020A	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXE041		120SDEA041* Δ
DCS400, DCS380, DCS300, DCS3410TH, DCS232T, UC3030A,	30	12						46E				
DCS340, DCS341, DCS401, DCS4610, UC3530AK, UC4530A	35	14						52E	140SPEA041*	140SXE041		140SDEA041* Δ
UC3000, UC3500, UC4000	40	16						56E				
UC3000, UC3500, UC4000, UC4030AK	40	16						56E				160SDEA041* Δ
5012, 5014, 5016	40	16						57E	160SPEA041*	160SXE041		160SDEA041*
DCS 410, DCS411 DCS 4301	33	13	.325	0.050	1,3	95VPX	7	56E		130MLBK041		
	38	15						64E		150MLBK041		
	45	18						72E		180MLBK041		
DCS430, DCS431, DCS 520, DCS4300i, DCS5200i	33	13	.325	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095		
	38	15						64E	150MPBK095	150MLBK095		
	45	18						72E	180MPBK095	180MLBK095		
DCS430, DCS520, DCS4300i, DCS5200i, DCS431, DCS520, DCS4300i, DCS431, 45	28	11	.325	0.058	1,5	21BPX/LPX	7	52E				
	33	13						56E	138SLBK095	138PXBK095	138RNBK095	
	35	14						60E				
	38	15						64E	158SLGK095		158RNBK095	
	38	15						64E	158SLBK095	158PXBK095	158RNBK095	
	40	16						66E	168SLBK095			
	40	16						68E	34372			
	45	18						72E	188SLBK095			
	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
DCS460, DCS500, DCS4600, DCS5030	50	20						78E	208SLGK095		208RNBK095	
	38	15	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	56E	158SLHK153		158RNB083	
	43	17						64E			178RNB083	178ATMB083
	45	18						64E	188SLHK153			
	50	20						72E	208SLHK153		208RNB083	
DCS6000i, DCS520i, 540, 5200, 6000 DCS 6800i	53	21						72E				
	38	15	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	56E			158RNB083	
	43	17						64E			178RNB083	178ATMB083
	50	20						72E			208RNB083	
9000, DCS9010	53	21						72E				
	43	17	3/8	0.058	1,5	73LPX/LGX/DX/DPX	8	64E				
	50	20						72E			208RND033	208ATMD033
58	23							80E				
DCS-6400, DCS-7300, DCS6401, DCS9000,	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD009	168SFHD009		

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MAKITA® ./.											
DCS9010, DCS7301, DCS79001, DCS-7900	45	18					68E	188SLHD009	188SFHD009		188ATMD009
	50	20					72E	208SLHD009	208SFHD009		208ATMD009
	60	24					84E				248ATMD009
	70	28					92E				288ATMD009
MAROYAMA											
MAROYAMA MCV 3100	35	14	91	0.050	1,3	91P / VX / VXL	6	52E	140SPEA041	140SXA041	140SDEA041
	40	16						56E	160SPEA041	160SXA041	160SDEA041
MAX BAHR											
KSH 600 Hochentaster	25	10	91	0.050	1,5	91P/91VG/91VXL	6	40E			100SDEA041
MCCULLOCH® (Italy)											
Electramac 312, 314, 316, 330, 335 340, 414, 416, Mac 335, MacCat 436, 441, Mac 538e, 539e, Promac33	30	12	91	.050	1,3	91P/91PX/91VXL	6	45E			120SDEA318*
	35	14						50E	140SPEA318*	140SXA318	140SDEA318*▲
	40	16						56E	160SPEA318*	160SXA318	160SDEA318*▲
	45	18						60E			180SDEA318*
Mac 542e, California, Mac 545e (intenz), Mac 5 Evolution(intenz), 2200E, 1900E	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E			120SDEA318*
	35	14						50E	140SPEA318*	140SXA318	140SDEA318*▲
	40	16						55E	160SPEA318*	160SXA318	160SDEA318*▲
	45	18						60E			180SDEA318*
ProMac 46 II	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095	
	38	15						64E	150MPBK095	150MLBK095	
	45	18						72E	180MPBK095	180MLBK095	
ProMac 54, 61, 72	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
MCCULLOCH®											
M1, M2, M2B, M4, M4B, M6, M6B	25	10	91	0.050	1,3	91P/91PX/91VXL	6	38E			
	30	12						44E			
	35	14						50E			
	40	16						56E			
474, 484, 735, C180, CALIFORNIA/ ARIZON, CALIFORNIA 90, EAGERBEAVER, EAGERBREAVER 1030 MAC120, MAC130, MM30, MM35, PM36, PM310, PM320, 330, 340, PM360, PM364, PM370, PM380, PM470, PM480, PM510, PM400, PM6, PM730, EMAC1040, PM484, MAC940, DAY.900, MINI MAC (All Models), 3214/6, 3516/8, EB2.3, MacCat PM394, PM494, MAC 930, MAC935, Mac-Cat 839, Electromac 1030, 1035, Euromac 314/316, Mac 436, Mac 538E/539E Mac120, 14A/S, EM16,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E			120SDEA318*
	35	14						49E	140SPEA318*	140SXA318	140SDEA318*▲
	35	14						50E			
	40	16						55E	160SPEA318*	160SXA318	160SDEA318*▲
	45	18						60E			
	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E			120SDEA318*
	30	12						45E			
	35	14						50E	140SPEA318*	140SXA318	140SDEA318*▲
	40	16						56E	160SPEA318*	160SXA318	160SDEA318*▲
	45	18						60E			180SDEA318

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 88



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
MCCULLOCH® ./..											
10, 12, 14, 16E											
ELECTRA MAC16E, 838, 839	40	16	91	0.050	1,3	91P/91PX/91VXL	6	54E	160SPEA318*	160SXE318	160SDEA318*
3500, 400P, TITAN35,	35	14	.325	0.050	1,3	20BPX/LPX	7	55E			
TITAN40,	35	14						56E			
PM38, PM40, PM46,	40	16						64E			
DAYTONA 1000	45	18						72E			
335, 435, 440, 441, 738, 842	35	14	91	0.050	1,3	91P/91PX/91VXL	6	52E	140SPEA041*	140SXE041	140SDEA041*▲
	40	16						56E	160SPEA041*	160SXE041	160SDEA041*▲
TITAN41, TITAN46,	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLGK095		
4600, 4700, 4900, 5000, 10-49, 10-42	45	18						72E	180SLGK095		
TIMBERBEAR 849											
1-10, 10-10, 2-10,	30	12	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	50E			
3-10, 4-10, 5-10, 55,	40	16						60E			
555, 6-10, 60, 610, 650, 655,	50	20						71E	200SLHD276		
7-10, 70, 700, 80, 800, 805,	60	24						81E			
850, DE50, SP60, SP81,	70	28						92E			
850, DE50, SP60, SP81,	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E			
TITAN50, TITAN57, 955,	50	20						71E			
1000, CP55, CP70, CP70L	60	24						81E			
MAC950, MAC960, MAC 970,	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	52E			
300, 050, 006,	38	15						56E			
PROMAC 51, PROMAC55, PROMAC60,	40	16						60E	168SLHD024	168SFHD024	
PROMAC70	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
MCCULLOCH® (JF)											
MS1215, MS1415, MS1425, MS1630,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E			120SDEA318*
MS1640, MS1435, MS1645, MS1845J,	35	14						49E	140SPEA318*	140SXE318	140SDEA318*▲
MS1834N, MS1635AV	40	16						55E	160SPEA318*	160SXE318	160SDEA318*▲
	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA095		120SDEA095*
	35	14						49E			
	35	14						52E	140SPEA095*		140SDEA095*▲
	40	16						54E			
	40	16						56E	160SPEA095*		160SDEA095*▲
	45	18						60E			180SDEA095
	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLBK095		
	45	18						72E	180SLBK095	180RNBK095	
	50	20						78E	200SLBK095		
METABO®											
Kt 1441	35	16	91	0.050	1,3	91P/91PX/91VXL	6	57E	160SPEA095*		160SDEA095*
Kt 1530	33	13	.325	0.058	1,5	21BPX/LPX	8	56E	138SLBK095	138PXBK095	
	38	15						64E	158SLBK095	158PXBK095	
5338	30	12	1/4	0.050	1,3	25AP	8	64E			
	35	14						72E			

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
МЕТABO® ./..												
	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E	120SPEA074*	120SXEA074		120SDEA074* Δ
	35	14						50E	140SPEA074*	140SXEA074		140SDEA074* Δ
	40	16						55E	160SPEA074*	160SXEA074		160SDEA074* Δ
1440	40	16	91	0.050	1,3	91P/91PX/91VXL	6	58E				
MR. GARDENER												
EKS 2040						91P/91VG/91VXL	7	57E				160SDEA041
ПАРМА (ИНКАР)												
Урал, Дружба, Тайга, Парма (Инкар)						59AC/L/27	7	64	203SLFM015		203RNF015	
Тайга						75D/DP/LPX	7	64	178SLHD010		178RND010	
Парма (Инкар)						75D/DP/LPX	7	64	178SLHD010		178RND010	
Парма-2М (Инкар)						21BPX/LPX	7	72	188SLBK095	188PXBK095	188RNBK095	
						95VPX	7	72	180MPBK095			180MLBK095
Парма-3 (Инкар), Парма-4 (Инкар)						20BPX/20LPX	7	72	180SLGK095			180MLBK095
						95VPX	7	64	150MPBK095			150MLBK095
ИНТЕРСКОЛ ПЦ												
ИНТЕРСКОЛ ПЦ-16\38Л, 16\2000,						91P/91PX/91VXL	6	53	140SPEA041	140SXEA041		140SDEA041
ПЦБ-14\35Л, ПЦБ-14\38Л								56	160SPEA041	160SXEA041		160SDEA041
OLEO-MAC-OLYMPIC®												
EP100 Pole Pruner	25	10	90	0.043	1,1	90SG	6	39E				104MLEA318
E1500	30	12	90	0.043	1,1	90SG	6	45E				
931, 932	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041		120SDEA041* Δ
GS35, GS350	35	14						53E	140SPEA041*	140SXEA041		140SDEA041* Δ
	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
233, 234, 244, 240, 241,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E				
335, 340, 930, 935DX 935X, 936, 940,	35	14						49E				
E140F, E160F, E1700, E1900, E1500, 300	40	16						56E				160SDEA129
OM-E200	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA074*	120SXEA074		120SDEA074* Δ
	35	14						50E	140SPEA074*	140SXEA074		140SDEA074* Δ
	40	16						56E	160SPEA074*	160SXEA074		160SDEA074* Δ
240	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA074*	120SXEA074		120SDEA074* Δ
	35	14						50E	140SPEA074*	140SXEA074		140SDEA074* Δ
	40	16						56E	160SPEA074*	160SXEA074		160SDEA074* Δ
	30	12	.325	0.050	1,3	20BPX/LPX	8	51E				
	35	14						57E				
	40	16						64E				
E170, E170F	30	12	.325	0.050	1,3	20BPX/LPX	8	51E				
	35	14						57E				
	40	16						64E				
937, 938, 941, GS44	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095		
	38	15						64E	150MPBK095	150MLBK095		
	40	16						66E	160MPBK095	160MLBK095		
	45	18						72E	180MPBK095	180MLBK095		
940C	33	13	95	0.050	1,3	95VPX	7	56E				130MLBK041

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 90



	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
OLEO-MAC-OLYMPIC® ./..											
	40	16					66E				160MLBK041
938, 942, 941	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
945, 950, 946, 950SUPER, 947, 956, 962,	33	13						56E	138SLBK095	138PXBK095	138RNBK095
950A, 951,	35	14						60E			
E300 F	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
962, 956	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHK095		168RNDK095
	45	18						68E	39450		188RNDK095
	50	20						72E	208SLHK095		208RNDK095
	55	22						77E			208ATMK095
	28	11	.325	0.058	1,5	21BPX/LPX	7	52E			
	33	13						56E	138SLBK095	138PXBK095	138RNBK095
	35	14						60E			
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	40	16						68E	34372		
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						78E	208SLGK095		208RNBK095
250A, 251, 251SUPER,	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD024	168SFHD024	
251B, 252, 254, 261,	45	18						68E	188SLHD024	188SFHD024	188ATMD024
264, 271, 272, 284,	50	20						72E	208SLHD024	208SFHD024	208ATMD024
350, 350SUPER, 355,	58	23						80E			
460, 480, 481, 482,	63	25						88E			
484, E300, OM-E300	75	30						98E			
970, 980, 971, 981	40	16	.404	0.058	1,5	26X	7	55E			
	45	18						62E			188ATMD024
	50	20						66E			208ATMD024
	58	23						73E			
	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD024	168SFHD024	
	45	18						68E	188SLHD024	188SFHD024	188ATMD024
	50	20						72E	208SLHD024	208SFHD024	208ATMD024
	58	23						80E			
	63	25						88E			
	75	30						98E			
999, 999F, 985	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	60E		173RNFE031	173ATLE031
	53	21						68E		213RNFE031	213ATME031
	63	25						80E			
	75	30						92E			
	90	36						108E			
	104	41						123E			

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
PARKSIDE										
EKS 1700					91P/91VG/91VXL	6	56E			
EKS1650					90SG	6	55E			
PKS 2000/4 PKS 40 PKS 10/3					91P/91VG/91VXL	6	55E			
PKS40/5					91P/91VG/91VXL	6	57E			
PARMA										
All Models,	40	16	3/8	0.063	1,6	75LPX/LGX/DX/DPX	62E			
	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	62E	168SLHD009	168SFHD009	
PARTNER® (Italy)										
P1535, 1540, 1640, 1835, 1840	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E		120SDEA318*
P351, 352, 371, 391, 538E, 542E	35	14						50E	140SPEA318	140SDEA318*
	40	16						56E	160SPEA318	160SDEA318*
	45	18						60E		180SDEA318
P411, 462, 511, 543, 461	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095
	38	15						64E	150MPBK095	150MLBK095
	45	18						72E	180MPBK095	180MLBK095
P541	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD024	168SFHD024
	45	18						68E	188SLHD024	188SFHD024
	50	20						72E	208SLHD024	208SFHD024
PARTNER®										
1436, 1641	35	14	90	0.043	1,1	90SG	6	52E		144MLEA041
	40	16						56E		164MLEA041
1535EL, 1540EL, 1640EL, ES2200, 1835,	35	14	91	0.050	1,3	91P/91PX/91VXL	6	50E	140SPEA318*	140SDEA318*
1840, 371, 391, 542, 1640, 351CCS, 3CCS,	40	16						54E	160SPEA318*	160SDEA318*
1601, 1602, 1612, 1613,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SDEA064
1614, 1616, 1618	35	14						52E	140SPEA041*	140SDEA064
	40	16						56E	160SPEA041*	160SDEA064
								62E		180SDEA041
330, 335, 340, 345, 360, 365, 385,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041	120SDEA041*
395, 351, 370, P 390, P 420, 350	35	14						52E	140SPEA041	140SDEA041*
391, 405, P842, 20X	40	16						56E	160SPEA041	160SDEA041*
	45	18						62E		180SDEA041
1550EL, 1850EL, 185,P520, 616, 620,	35	14	91	0.050	1,3	91P/91PX/91VXL	6	52E		140SDEA095*
718, P722T						91P/91PX/91VXL	6	57E		160SDEA095
EL1450, 1200	33	13	95	0.050	1,3	95VPX	7	56E	130MPBK095	130MLBK095
EL1650, 400, 410, 460, 360, 450, 500, 5000	38	15						64E	150MPBK095	150MLBK095
405, 450, 470, 510, 540, 411,	45	18						72E	180MPBK095	180MLBK095
360, 365, 400, 405, 450,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E	118SLBK095	
465, 495, 510, 540, 500,	33	13						56E	138SLBK095	138PXBK095
545, 461	35	14						60E		138RNBK095
MINIFARMERSAW,	38	15						64E	158SLGK095	158RNBK095
P500, P5000, P5500,	38	15						64E	158SLBK095	158PXBK095
1200EL, 1400EL, 1450, 360, 365, 400,	40	16						66E	168SLGK095	168PXBK095
405, 545, 450, 1500EL, 1650, 5500,	40	16						68E	34372	168RNBK095

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 92



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
PARTNER® ./..												
410, 460, 510, 4700, P5300,	45	18						72E	188SLGK095	188PXBK095	188RNBK095	
20X POWER, 470, 540,	50	20						78E	208SLGK095		208RNBK095	
550, 605	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	50E	138SLDK095			
	38	15						56E	158SLHK095			
650, 7000, F65, P100,	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	52E				
P55, P65, P70, R16, R17,	38	15						56E				
R18, R19, R20, R21, R22,	40	16						60E				
R40, R417, R418, R420,	43	17						64E	178SLHD010			
R421, R422, R435, R440,	50	20						72E				
R522, R523, S50, S55, S65	55	22						76E				
660, P7700, 710	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD009	168SFHD009	168RND009	168ATMD009
	45	18						68E	188SLHD009	188SFHD009	188RND009	188ATMD009
	50	20						72E	208SLHD009	208SFHD009	208RND009	208ATMD009
	55	22						77E			228RND009	
	60	24						84E			248RND009	248ATMD009
	65	26						89E			268RND009	
	70	28						92E			288RND009	288ATMD009
	90	36	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	115E		363RND009		
P100, P85, R40, R435,	55	22	.404	0.063	1,6	59L/59AC/27X/27PX	7	69E				
R440	65	26						80E				
MT39						25AP	9	58E				100SDAA041
								60E	535044			
						91P/91PX/91VXL	6	45E	120SPEA041	120SXE041		120SDEA041▲
								52E	140SPEA041	140SXE041		140SDEA041▲
MT40						25AP	9	58E				100SDAA041
						91P/91PX/91VXL	6	45E	120SPEA041	120SXE041		120SDEA041▲
								52E	140SPEA041	140SXE041		140SDEA041▲
								56E	160SPEA041	160SXE041		160SDEA041▲
MT41						95VPX	7	66E				160MLBK041
MT51, MT56, MT62, 1200, 1400, 1450						21BPX/LPX	7	66E	168SLGK095	168PXBK095	168RNBK095	
								72E	188SLGK095	188PXBK095	188RNBK095	
						73LPX/LGX/DX/DPX	7	64E	188SLHK095		188RNDK095	188ATMK095
								72E	208SLHK095		208RNDK095	208ATMK095
AC620031, AC620033						25AP	9	48E				080SDAA218
AC620021						91P/91PX/91VXL	6	40E				100SDEA218
								45E				120SDEA218
PEUGEOT® / FOE												
TLS1630, TLS1635, TLS1640,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E				
TRC 1640, TRC1635, TRC1630	35	14						50E				
	40	16						56E				
POULAN®												
ES300	35	14	90	0.043	1,1	90SG	6	52E				144MLEA041
	40	16						56E				164MLEA041

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 93

T* = INTENZ



www.oregonproducts.com





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG	
POULAN® ./..													
1800, 2000, 2300AV,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041			120SDEA041*▲
2300CVA, 25A, P3314, P3314WS, PLN1514, 1420, 1630	35	14						52E	140SPEA041*	140SXEA041			140SDEA041*▲
MICRO25, S25CVA, S25D, S25DA, P600, P3416, P4018WT, PLN3516F, ES350	40	16						57E	160SPEA041*	160SXEA041			160SDEA041*
1400E	35	14	91	0.050	1,3	91P/91PX/91VXL	6	52E					
200SERIES,	33	13	.325	0.058	1,5	21BPX/LPX	7	56E					
300SERIES, 306, 3400, 445, 446, 450,	33	13	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	52E					
360, 361, 3700, 3800, 395, 3900, 4400,	40	16						60E	160SLHD176				
400SERIES, 4000, 4200,	50	20						70E	200SLHD176		200RNDD176		
4400, 4900, 5200, 5400, 6700	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	52E					
415, 425, 445, 475, 505	33	13	3/8	0.058	1,5	75LPX/LGX/DX/DPX	7	52E			138RNDD009		
	33	13						52E			138RNDD009		
	38	15						56E	158SLHD009	158SFH009	158RNDD009	158ATMD009	
	40	16						60E	168SLHD009	168SFHD009	168RNDD009	168ATMD009	
	43	17						64E	178SLHD009		178RNDD009	178ATMD009	
	45	18						68E	188SLHD009	188SFHD009	188RNDD009	188ATMD009	
	50	20						72E	208SLHD009	208SFHD009	208RNDD009	208ATMD009	
	55	22						76E			228RNDD009		
	60	24						84E			248RNDD009	248ATMD009	
	65	26						89E			268RNDD009		
	70	28						92E			288RNDD009	288ATMD009	
	75	30						102E			308RNDD009		
5500, 6000	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	61E				173ATMD033	
	53	21						70E					
POWER PRUNER®													
PP600	20	8	91	0.050	1,3	91P/91PX/91VXL	6	33E					
RYOBI®													
PCN 3335 APR02	25	10	91	0.050	1,3	91P/91PX/91VXL	6	40E					100SDEA041
	30	12						45E	120SPEA041*	120SXEA041			120SDEA041*▲
	35	14						52E	140SPEA041*	140SXEA041			140SDEA041*▲
	40	16						57E	160SPEA041*	160SXEA041			160SDEA041*
PCN 4040	40	16						66E	160SLGK041				
	45	18						72E	180SLGK041		180RNBK041		
35B, CS36C, CS41, CSE3330, CSE385CB, HC31, HC36, HC41, HCS31, HCS36	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E					120SDEA218*
	35	14						49E					140SDEA218*
CS-1530, CS-1535, CS-1540	40	16						55E					160SDEA218*
CSE5145, CSE5650	40	16	.325	0.058	1,5	21BPX/LPX	7	68E			168RNBK041		
	45	18						72E	188SLGK041	188PXBK041			
	50	20						80E					
CSN 410	40	16	91	0.050	1,3	91P/91PX/91VXL	6	56E					
SABRE													
SABRE 31, 33, 205, 3350B, S35	30	12	91	0.050	1,3	91P/91PX/91VXL	6	48E	120GPEA061*				

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.



www.oregonproducts.com

T* = INTENZ

A - 94



	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
SABRE ./..												
	30	12						49E				
	35	14						52E	140GPEA061*			
	35	14						53E				
	40	16						59E				
SHARK												
PL2, PL4	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E				120SDEA218*
	38	15						49E				140SDEA218*
	40	16						55E				160SDEA218*
SHINDAIWA® / SDK / ISEKI												
P230, P231	20	8	90	0.043	1,1	90SG	6	33E				
	25	10						39E				104MLEA318
	30	12						44E				
305AVZ, E305	35	14	1/4	0.050	1,3	25AP	8	76E				140SDAA041
	40	16						86E				
A090B, A100C, A102, A103, A104P, A105B,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041		120SDEA041* Δ
269TS, 320TS, 358TS, A107, A110, A110P,	35	14						52E	140SPEA041*	140SXEA041		140SDEA041* Δ
A113, A113L, A113P, A117P, 120, 140,	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
A150B, 150E, 160, A180, 285S, 300S, 305,												
340, 345, 346, 350, 352, 352S, 355, 357,												
360, EYB120, EYB150, EYB180, YB291,												
YB301, YB391, YB395, YB401, YB491												
360, 366, 377, 400, 415,	33	13	.325	0.050	1,3	20BPX/LPX	7	56E				
416, 420, 446S, 450, 451, 488, 490	40	16						66E	160SLGK041			
500, 510, 560, 580, A180B, 511	45	18						72E	180SLGK041	180RNBK041		
YB501, YB601, YB701, YB495,	28	11	.325	0.058	1,5	21BPX/LPX	7	52E				
YB691, YB377, 389S, 452S, 452GS	33	13						56E	138SLBK041	138PXBK041		
	35	14						60E				
	38	15						64E	158SLBK041	158PXBK041		
	40	16						66E	168SLGK041	168PXBK041	168RNBK041	
	45	18						72E	188SLGK041	188PXBK041		
550, 575, 577, 680, 695, 757, 757C, 598,	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E	168SLHD009	168SFHD009	168RND009	168ATMD009
667	43	17						64E	178SLHD009		178RND009	178ATMD009
YB801, YB901,	45	18						68E			188RND009	188ATMD009
YB1091	50	20						72E			208RND009	208ATMD009
SKIL®												
1600HE, 1601HE,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E				
1602HE, 1610U, 1612U,	35	14						52E				
1616U, 1712U	40	16						56E				
1620U, 1634U, 1636U	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041		120SDEA041* Δ
	35	14						52E	140SPEA041*	140SXEA041		140SDEA041* Δ
	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
1603H, 1604H	35	14	91	0.050	1,3	91P/91PX/91VXL	6	52E				

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 95

T* = INTENZ



www.oregonproducts.com





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
SOLO®												
613	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXE041		120SDEA041*▲
	35	14						52E	140SPEA041*	140SXE041		140SDEA041*▲
	40	16						57E	160SPEA041*	160SXE041		160SDEA041*
614, 620, 621, 630, 633, 635, 636, 637, 640, 642	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA095			120SDEA095
	35	14						52E	140SPEA095*			140SDEA095*▲
	40	16						56E	160SPEA095*			160SDEA095*▲
	45	18						60E				180SDEA095
636	30	12	90	0.043	1,1	90SG	7	45E				
	35	14						52E				144MLEA095
MULTI-MOT	25	10	1/4	0.050	1,3	25AP	8	58E				
	30	12						68E				
600, 605VA, 606VA, 631, 632, 634, 638, 641, FARMER31, FARMER32, FARMER38	30	12	91	0.050	1,3	91P/91PX/91VXL	6	47E				
	35	14						53E				
	40	16						58E				
614E	40	16	91	0.050	1,3	91P/91PX/91VXL	7	57E				
610, 611VA, 615, 616VA, FARMER11, FARMER16	40	16	.325	0.050	1,3	20BPX/LPX	7	67E				
	45	18						73E				
639, 641, 644, 650, 643IP, 645, 646, 647, 651, 651SP, 652, 654, 656SP	33	13	.325	0.058	1,5	21BPX/LPX	7	57E	138SLBK095	138PXBK095	138RNBK095	
	35	14						61E				
	38	15						64E	158SLGK095		158RNBK095	
	40	16						67E	168SLGK095	168PXBK095	168RNBK095	
	40	16						68E	34372			
	45	18						73E	188SLGK095	188PXBK095	188RNBK095	
662, 665, 667, 670, 675, 680, 681, 690, 694	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	52E			138RNDD009	
	38	15						56E	158SLHD009	158SFHD009	158RNDD009	158ATMD009
	40	16						60E	168SLHD009	168SFHD009	168RNDD009	168ATMD009
	43	17						64E	178SLHD009		178RNDD009	178ATMD009
	45	18						68E	188SLHD009	188SFHD009	188RNDD009	188ATMD009
	50	20						72E	208SLHD009	208SFHD009	208RNDD009	208ATMD009
	55	22						76E			228RNDD009	
	60	24						84E			248RNDD009	248ATMD009
	65	26						89E			268RNDD009	
	70	28						92E			288RNDD009	288ATMD009
603, 609	60	24	.404	0.063	1,6	59L/59AC/27X/27PX	7	76E				243ATMD009
	70	28						84E				
	80	32						95E				
	90	36						108E				
635, 642	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	63E				
	53	21						72E				
	63	25						82E				
620, 640, 645, 650, 655, 660, 70, SOLOREX	40	16	3/8	0.050	1,3	72LPX/LGX/DX/DPX	8	60E				
	50	20						71E				

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.


www.oregonproducts.com

T* = INTENZ

A - 96



	cm	"	"	mm		SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
STIHL®										
HT70, HT75, HT100, HT101, H131, HTE60, 017, 019T, MS190, E140, 023L,	30	12	90	0.043	1,1	90SG	6	44E		124MLEA074
	35	14						50E		144MLEA074
MSE140, MSE160, MS170, MS171, MS180, MS181, MS191T, MS192										
009, 010, 011, 018, 019, 019T, 020, 020T, 021, 023, 025, E10, E14, E160, E180, MSE200, MS241, MS200T, MS180, MS191, MS170, MS210, MS211, MS230, MSE140, MS160, MS250, MS180, MS192, MS231, MS201	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E	120SPEA074	120SXE074
	35	14						50E	140SPEA074*	140SXE074
	40	16						55E	160SPEA074*	160SXE074
										160SDEA074*
MS240, MS260, MS261, E160, E180, 024, 026, 10, 11, 9, E10, 028, 029, 030, 031, 032, 034, 036, 039, 019/T, 020/T, 020/T, 021/T, 023/T, 025/T, MS270, MS271 MS280, MS291, MS290, MS360, MS361, MS390, MS391, MS200	33	13	95	0.050	1,3	95VPX	7	56E	130MPBD025	
	38	15						62E	150MPGD025	
	40	16						67E	160MPGD025	
	45	18						74E	180MPGD025	
25, 012, MS230, MS231 MS250, MS251	40	16	.325	0.063	1,6	22BPX/LPX	7	62E	163SLBA074	
								68E	183SLBA074	
024, 026, 028, 029, 030, 031, 032, 034, 036, 039, MS240, MS260, MS270, MS261, MS271, MS280, MS290, MS360, MS361, MS390, MS200, MS36E	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBD025	
	33	13	.325	0.063	1,6	22BPX/LPX	7	56E	133SLBD025	
	38	15						62E	153SLGD025	153SFGD025
	40	16						67E	163SLGD025	163SFGD025
	45	18						74E	183SLGD025	183SFGD025
	50	20						81E	203SLGD025	203ATMD025
029, 031, 032, 034, 036, 038, 039, 041, 042, 044, 045, 046, 048, 056, 064, 066, E15, E20, E220, MS290, MS310, MS311, MS390, MS200, MS220, MS291, MS391	33	13	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	52E		
	38	15						56E	153SLHD025	153SFHD025
	40	16						60E	163SLHD025	163SFHD025
	45	18						66E	183SLHD025	183SFHD025
	50	20						72E	203SLHD025	203SFHD025
MS340, MS341, MS360, MS361, MS362	55	22						77E		223RNDD025
MS361, MS440, MS441, MS460, MS640, MS650, MS660, MS880	60	24						84E	243SLHD025	243RNDD025
	70	28						91E		283RNDD025
	90	36						114E		363RNDD025
075, 08, 08S, 050, 051, 075, 076, 084, 088, E30, MS880	35	14	3/8	0.063	1,6	75LPX/LGX/DX/DPX	7	58E		
	43	17						66E		173ATLE031
	53	21						75E		213ATLE031
	63	25						88E		
	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	60E		173RNFE031
	53	21						68E		213RNFE031
	63	25						80E		253RNFE031
	43	17						60E		173RNFE031
	53	21						68E		213RNFE031

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 97

T* = INTENZ



www.oregonproducts.com





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
STIHL® ./..											
	63	25					80E			253RNFE031	253ATME031
	75	30					91E				
	90	36					104E				
070, 090	43	17	.404	0.063	1,6	59L/59AC/27X/27PX	7	64E			
	53	21						72E			213ATLE086
	63	25						84E			253ATLE099
	75	30						92E			303ATLE099
	90	36						104E			363ATLE099
	104	41						122E			
STIGA®											
930, 935, 1400	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E			120SDEA218*
	30	12						45E			
	35	14						50E			140SDEA218*
940	35	14	.325	0.050	1,3	20BPX/LPX	7	55E			
	35	14						56E			
955	40	16	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	60E			
SE1.6, SE1.8	30	12	91	0.050	1,3	91P/91PX/91VXL	6	44E			
	35	14						50E			
	40	16						55E			
	40	16						56E			
SP340	30	12	91	0.050	1,3	91P/91PX/91VXL	7	44E			
	35	14						50E			
	40	16						56E			
SP370, SP410	33	13	95	0.050	1,3	95VPX	7	56E			
	40	16						64E			
SP460, SP510	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						61E			
	40	16						66E	168SLBK095		
	45	18						72E	188SLBK095	188RNBK095	
	50	20						78E			
STRUM											
Sturm GC99374, Sturm GC99376, Sturm GC99416, Sturm CC9920, Sturm CC9922						91P / VX / VXL	6	52	140SPEA041	140SXEA041	140SDEA041 ▲
								57	160SPEA041	160SXEA041	160SDEA041
								63		180SXEA041	180SDEA041
Sturm GC99456, Sturm GC99458, Sturm GC99466, Sturm GC99468, Sturm GC99502						21BPX / LPX	7	66	168SLGK095	168PXBK095	168RNBK095
								72	188SLGK095	188PXBK095	188RNBK095
								78	208SLGK095	208RNBK095	
TALON											
AC2108, AC2109, AC2101, AC2105, AC2111, AC3100	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E			120SDEA318* ▲
	35	14						49E	140SPEA318*	140SXEA318	140SDEA318* ▲
	40	16						55E	160SPEA318*	160SXEA318	160SDEA318* ▲
AC3100	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA095		120SDEA095*
	35	14						49E			

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.





	cm	"	"	mm				SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
TALON ./..												
	35	14						52E	140SPEA095*			140SDEA095*
	40	16						54E				
	40	16						56E	160SPEA095*			160SDEA095*
	45	18						60E				
AC3102	40	16	.325	0.050	1,3	20BPX/LPX	7	66E	160SLBK095			
	45	18						72E	180SLBK095	180RNBK095		
	50	20						78E	200SLBK095			
TAS TANAKA®												
290, 300, ECS330,	30	12	91	0.050	1,3	91P/91PX/91VXL	6	45E	120SPEA041*	120SXEA041		120SDEA041*
ECS3500, ECS360, ECS320,	35	14						52E	140SPEA041*	140SXEA041		140SDEA041*
ECS 3301, ECS3351	40	16						57E	160SPEA041*	160SXEA041		160SDEA041*
ECS4000, ECV-4501	28	11	.325	0.058	1,5	21BPX/LPX	7	52E				
	33	13						56E	138SLBK041	138PXBK041		
	35	14						60E				
	38	15						64E	158SLBK041	158PXBK041		
	40	16						66E	168SLGK041	168PXBK041		
	40	16						68E				
	45	18						72E	188SLGK041	188PXBK041		
	50	20						80E				
650, ECS506, 655	33	13	3/8	0.050	1,3	72LPX/LGX/DX/DPX	7	52E				
	40	16						60E	160SLHD176			
	45	18						64E	180SLHD176			
	45	18						66E		180RNDD176		
	50	20						70E	200SLHD176	200RNDD176		
TAIGA												
All Models	43	17	3/8	.063	1,6	75LPX/LGX/DX/DPX		64E				
	43	17	3/8	.058	1,5	73LPX/LGX/DX/DPX		64E	178SLHD010			
TOPCRAFT												
E 1,7 profi						90SG	6	55E				
TKS 1,8 Pro						91P/91VG/91VXL	6	55E				160SDEA318
TOPSO												
E500AV, E510AVB,	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	52E				
E600AV, E601AV,	38	15						56E				
E610AVB, E611AVB,	40	16						60E	168SLDD024			
E700AV, E710AVB	45	18						68E	188SLHD024	188SFHD024	188ATMD024	
	50	20						72E	208SLHD024	208SFHD024	208ATMD024	
URAL												
All models	50	20	.404	0.063	1,6	59L/59AC/27X/27PX	7	64E	203SLFM015		203RNF015	
WEN®												
All Models	30	12	91	0.050	1,3	91VGX/91VX	6	47E				
	35	14						53E				
ZENOAH®												
G2500PS G2000T	30	12	1/4	0.050	1,3	25AP	9	66E				120SDAA041

OREGON® and POWERSHARP® are registered trademarks of Blount, Inc. All other marks are the property of their respective owners.

A - 99

T* = INTENZ



www.oregonproducts.com





	cm	"	"	mm			SL/MP/SP/GP	SX/PXB/SFG/SFH	RN	AT	SD/ML/DG
ZENOAH® ./..											
GT250-10, GT310-12, GT310-14, G2500T, G3200T, GZ3500T	25	10	91	0.050	1,3	91P/91VG/91VXL	6	40E			100SDEA041
G300T, G310TS,	30	12						45E	120SPEA041*	120SXEA041	120SDEA041*▲
G320 AVS,	35	14						52E	140SPEA041*	140SXEA041	140SDEA041*▲
G3800AVS-14, G3800AVS-16, G250TS, G3100, G3200, G3800, G3300,	40	16						56E	160SPEA041*	160SXEA041	160SDEA041*▲
G380AVS	40	16						58E			
	30	12	.325	0.058	1,5	21BPX/LPX	7	54E			
	33	13						56E	138SLBK041	138PXBK041	
	35	14						60E			
	38	15						64E	158SLBK041	158PXBK041	
	40	16						66E	168SLGK041	168PXBK041	
G415AVS-16, GZ4000, GZ4500	33	13	95	0.050	1,3	95VPX	7	56E		130MLBK041	
	38	15						64E		150MLBK041	
	45	18						72E		180MLBK041	
G410AVS, G455AVS, G500AVS, G38, G46, G5000, G5300 G415AVS, G455AVS, G500AVS	33	13	.325	0.058	1,5	21BPX/LPX	7	56E	138SLBK095	138PXBK095	
	35	14						60E			
	38	15						64E	158SLBK095	158PXBK095	158RNBK095
	38	15						64E	158SLGK095		158RNBK095
	40	16						66E	168SLGK095	168PXBK095	168RNBK095
	45	18						72E	188SLGK095	188PXBK095	188RNBK095
	50	20						81E			
	50	20						78E	208SLGK095	208RNBK095	
G561AVS, G621AVS	40	16	.325	0.058	1,5	21BPX/LPX	7	66E			
	45	18						72E	188SLGD176		
	50	20						81E			
G621AVS, G6200, G7700	33	13	3/8	0.058	1,5	73LPX/LGX/DX/DPX	7	52E			
	40	16						60E			
	45	18						64E	188SLHD176		
	50	20						70E	208SLHD176		
	50	20						72E		8873D	